

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**



IFW PR

PATENT
P56902

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

ING-JUN CHEN

Serial No.: 10/608,073

Examiner: BERNHARDT, EMILY B.

Filed: 30 June 2003

Art Unit: 2821

For: THE KMST ISOEUGENOL DERIVATIVES AND PHARMACEUTICAL ACTIVITY

PETITION UNDER 37 C.F.R. §1.181

Mail Stop: Petition

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

Applicant respectfully petitions from the failure of the Examiner in the first Office action (Paper No. 07012004) mailed on 7 July 2004 to provide proper and complete consideration of all references cited in the Information Disclosure Statement (filed on 21 August 2003) and respectfully requests that proper and complete consideration of all the references cited in the Information Disclosure Statement be provided, and as reasons therefore, states that:

Folio: P56902

Date: 7/9/04

I.D.: REB/sb

Enclosures: 1) A copy of Information Disclosure Statement and PTO-1449 filed on 21 August 2003
2) A copy of date-stamped postcard attesting to filing and receipt of Information Disclosure Statement filed on 21 August 2003

STATEMENT OF FACTS

1. On 21 August 2003, Applicant's undersigned attorney filed an Information Disclosure Statement, listed, discussed and provided complete copies of fifty-seven (57) references, including Dunn reference and Girard reference, in the U.S. Patent & Trademark Office for the above-referenced patent application.
2. Upon the filing of the Information Disclosure Statement on 21 August 2003, Applicant's undersigned attorney received a date-stamped postcard receipt from the mail room of the U.S. Patent & Trademark Office, confirming the filing and receipt of the Information Disclosure Statement by the U.S. Patent & Trademark Office.
3. On 8 July 2004, Applicant's undersigned attorney received the first Office action (Paper No. 07012004) mailed on 7 July 2004. In Paper No. 07012004, Dunn reference and Girard reference cited in the Information Disclosure Statement filed on 21 August 2003 were not considered properly and completely by the Examiner stating that "Applicants' IDS filed 8/21/03 has been considered except for the Dunn and Girard references which are not present in the file which is currently in electronic form".

REMARKS

The Information Disclosure Statement was timely filed on 21 August 2003, together with complete copies of fifty-seven (57) references. A copy of the Information Disclosure Statement and PTO-1449 filed on 21 August 2003, and a copy of a date-stamped postcard receipt attesting to the filing and receipt of the Information Disclosure Statement by the U.S. Patent & Trademark Office, are enclosed. The consideration and entry of the Information Disclosure Statement filed on 21 August 2003 is respectfully requested.

RELIEF REQUESTED

Applicant respectfully requests the Commissioner to:

- A. Acknowledge entry of all fifty-seven (57) references cited in the Information Disclosure Statement filed on 21 August 2003;
- B. Provide the form PTO-1449 with the Examiner's signature showing proper and complete consideration of all the references cited in the Information Disclosure Statement filed on 21 August 2003; and
- C. Grant such other and further relief as justice may require.

Respectfully submitted,

A handwritten signature in black ink, appearing to read "R. E. Bushnell", written over a horizontal line.

Robert E. Bushnell,
Attorney for the Applicant
Registration No.: 27,774

1522 "K" Street N.W. Suite 300
Washington, D.C. 20005-1202
(202) 408-9040

Folio: P56902
Date: 7/9/04
I.D.: REB/sb



P56902 (Small Entity)

21 August 2003

Applicant : CHEN-MING HSIAO, et al.


S.N.: 10/608,073

Filed: 30 June 2003


For: *THE KMST ISOEUGENOL DERIVATIVES AND PHARMACEUTICAL
ACTIVITY*

Document filed:

- Information Disclosure Statement and PTO-148 with 57 references



COPY



PATENT
P56902

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

COPY

CHEN-MING HSIAO *et al.*

Serial No.: 10/608,073

Examiner: *to be assigned*

Filed: 30 June 2003

Art Unit: *to be assigned*

For: THE KMST ISOEUGENOL DERIVATIVES AND PHARMACEUTICAL
ACTIVITY

INFORMATION DISCLOSURE STATEMENT

Mail Stop :

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

In accordance with 37 C.F.R. §1.56, and §§1.97 and 1.98 as amended, Applicant cites, describes and provides copies of the following art references:

References

1. Altavilla *et al.*, "The Lazaroid, U-74389G, inhibits inducible nitric oxide synthase activity, reverses vascular failure and protects against endotoxin shock," *European Journal of Pharmacology*, Vol. 369, pp. 49-55, 1999.
2. Aubriot *et al.*, "New Series of Aryloxypropanolamines with Both Human β_3 -Adrenoceptor Agonistic Activity and Free Radical Scavenging Properties," *Bioorganic & Medical Chemistry Letters*, Vol. 12, pp.209-212, 2002.

3. Dunn *et al.*, Bibliographic record of "*The reductions in sweetened milk intake induced by interleukin-1 and endotoxin are not prevented by chronic antidepressant treatment,*" <http://www.hint.org.tw/cgi-bin/ovidweb/ovidweb.cgi>.
4. Cohen *et al.*, "*Evidence that Blood Pressure Reduction by Serotonin Antagonists is Related to Alpha Receptor Blockade in Spontaneously Hypertensive Rats,*" *Hypertension* Vol. 5, No. 5, pp.676-681, September - October, 1983.
5. Correa *et al.*, "*Central α_1 -Adrenoceptors Mediate the Pressor Response to Intracerebroventricular Injection of Noradrenaline in Unanesthetized Rats,*" *Neuropharmacology* Vol.34, No. 7, pp. 793-798, 1995.
6. Curro *et al.*, "*Interaction Between Alpha Adrenergic and Serotonergic Activation of Canine Saphenous Veins ,*" *The Journal of Pharmacology and Experimental Therapeutics* Vol. 207, pp. 936-949, 1978.
7. Diaz-Cabiale *et al.*, "*Galanin/alpha2-receptor interactions in central cardiovascular control ,*" *Neuropharmacology* Vol. 39, pp.1377-1385, 2000.
8. Dobrucki *et al.*, "*Central Hypotensive Action of Clonidine Requires Nitric Oxide ,*" *Circulation*, Vol. 104, pp. 1884-1886, 16 October 2001.
9. Duan *et al.*, "*Enhancement of Clonidine-Induced Analgesia by Lesions Induced with Spinal and Intracerebroventricular Administration of 5, 7-Dihydroxytryptamine,*" *Neuropharmacology* Vol. 26, No. 4, pp.323-329, 1987.
10. Duka *et al.*, "*Role of the Postsynaptic α_2 -adrenergic receptor subtypes in catecholamine-induced vasoconstriction,*" *General Pharmacology* Vol. 34, pp.101-

106, 2000.

11. Elenkov *et al.*, "Modulation of lipopolysaccharide-induced tumor necrosis factor- α production by selective α - and β -adrenergic drugs in mice," *Journal of Neuroimmunology* Vol. 61, pp.123-131, 1995.
12. Fujimoto *et al.*, "Denopamine as an α_{1H} -adrenoceptor antagonist in isolated blood vessels," *European Journal of Pharmacology* Vol. 280, pp.143-147, 1995.
13. Girard *et al.*, "A New Synthetic Flavonoid Protects Endothelium-Derived Relaxing Factor-induced Relaxation in Rabbit Arteries in Vitro: Evidence for Superoxide Scavenging," *Biochemical Pharmacology*, Vol. 49, No. 10, pp. 1553-1539, 1995.
14. Glaser *et al.*, Bibliographic record of "Stress depresses interferon production by leukocytes concomitant with a decrease in natural killer cell activity," <http://www.hint.org.tw/cgi-bin/ovidweb/ovidweb.cgi>.
15. Haddjeri *et al.*, "Modulation of the Firing Activity of Rat Serotonin and Noradrenaline Neurons by (\pm) Pindolol," *Biological Psychiatry*, 45, pp. 1163-1169, 1999.
16. Hasko *et al.*, "Differential effect of selective block of α_2 -adrenoreceptors on plasma levels of tumour necrosis factor- α , interleukin-6 and corticosterone induced by bacterial lipopolysaccharide in mice," *Journal of Endocrinology* Vol.144, pp.457-462, 1995.
17. Hatanaka *et al.*, "Biochemical Profile of YM992, a Novel Selective Serotonin Reuptake Inhibitor with 5-HT_{2A} Receptor Antagonistic Activity," *Neuropharmacology*

- Vol. 35, No. 11, pp.1621-1626, 1996.
18. Helmeste *et al.*, "*Inhibition of Platelet Serotonin Uptake by Cytochrome P450 Inhibitors Miconazole and Econazole*," Life Sciences Vol. 62, No. 24, pp. 2203-2208, 1998.
 19. Hirata *et al.*, "*Effects of endothelin receptor antagonists on endothelin-1 and inducible nitric oxide synthase genes in a rat endotoxic shock model*," Clinical Science, pp.332-335, 2002.
 20. Huang *et al.*, "*Inhibitory effect of DCDC on lipopolysaccharide-induced nitric oxide synthesis in RAW 264.7 cells*," Life Sciences Vol. 68, pp. 2435-2447, 2001.
 21. Huang *et al.*, "*Ferulidiol : A Vasodilatory and Antioxidant Adrenoceptor and Calcium Entry Blocker, with Ancillary β_2 -Agonist Activity*," Drug Development Research 47:77-89 (1999).
 22. Huang *et al.*, "*A New Aspect of View in Synthesizing New Type β -adrenoceptor Blockers with Ancillary Antioxidant Activities*," Bioorganic & Medicinal Chemistry Vol. 9, pp. 1739-1746, 2001.
 23. Ko *et al.*, " *β -Blocker Therapy and Symptoms of Depression, Fatigue, and Sexual Dysfunction*," JAMA Vol. 288, No. 3, pp.351-357, 17 July 2002.
 24. Koyama, "*Participation of central α -receptors on hemodynamic response to E. Coli endotoxin*," American Journal Physiology Vol. 247, pp.R655-R662, 1984.
 25. Krege *et al.*, "*Affinity of trazodone for human penile α_1 - and α_2 -adrenoceptors*," BJU International Vol. 85, pp.959-961, 2000.

26. Kubo *et al.*, "Cardiovascular effects in rats of α_1 and α_2 adrenergic agents injected into the nucleus tractus solitarius," *Naunyn-Schmiedeberg's Archives of Pharmacology* Vol. 335, pp.274-277, 1987.
27. Lin *et al.*, "Systemic Administration of Lipopolysaccharide Induces Release of Nitric Oxide and Glutamate and *c-fos* Expression in the Nucleus Tractus Solitarius of Rats," *Hypertension* 33:1218-1224, 1999.
28. Llado *et al.*, "The α_2 -adrenoceptor antagonist idazoxan is an agonist at 5-HT_{1A} autoreceptors modulating serotonin synthesis in the rat brain in vivo", *Neuroscience Letters* Vol. 218, pp.111-114, 1996.
29. Loegering *et al.*, "The Antioxidant, U74389, Ameliorates the Depression of Vascular Reactivity Caused by Lipopolysaccharide", *Life Sciences*, Vol. 57, No. 20, pp. 321-326, 1995.
30. Maitra *et al.*, "Alterations in Tissue Glucose Uptake During the Hyperglycemic and Hypoglycemic Phases of Sepsis", *Hock* Vol. 13, No. 5, pp. 379-385, 2000.
31. Molina-Holgado *et al.*, "Endotoxin Administration Induced Differential Neurochemical Activation of the Rat Brain Stem Nuclei," *Brain Research Bulletin*, Vol. 40, No. 3, pp. 151-156, 1996.
32. Murphy *et al.*, "Characterization of Alpha-2 Adrenergic Receptors in the OK Cell, an Opossum Kidney Cell Line," *The Journal of Pharmacology and Experimental Therapeutics* Vol. 244, No. 2, pp.571-578, 1987.
33. Nickola *et al.*, "Antidepressant Drug-Induced Alterations in Neuron-Localized

- Tumor Necrosis Factor- α mRNA and α_2 -Adrenergic Receptor Sensitivity,"* The Journal of Pharmacology and Experimental Therapeutics Vol. 297, No. 2, pp.680-687, 2001.
34. Owens *et al.*, "*Neurotransmitter Receptor and Transporter Binding Profile of Antidepressants and Their Metabolites,*" The Journal of Pharmacology and Experimental Therapeutics Vol. 283, No. 3, pp.1305-1322, 1997.
35. Pitzalis *et al.*, "*Depression but not anxiety influences the autonomic control of heart rate after myocardial infarction,*" American Heart Journal Vol. 141, No. 5, pp.765-771, 2001.
36. Shen *et al.*, "*Differential Effect of Chronic Antidepressant Treatments on Lipopolysaccharide-Induced Depressive-Like Behavioural Symptoms in the Rat,*" Life Sciences Vol.65, No.17, pp.1773-1786, 1999.
37. Smith *et al.*, "*Precontraction with Elevated Concentrations of Extracellular Potassium Enables both 5-HT_{1B} and 5-HT_{2A} "Silent" Receptors in Rabbit Ear Artery,*" The Journal of Pharmacology and Experimental Therapeutic Vol. 289, No.1, pp.354-360, 1999.
38. Spengler *et al.*, "*Stimulation of α -Adrenergic Receptor Augments the Production of Macrophage-Derived Tumor Necrosis Factor,*" The Journal of Immunology Vol. 145, No.5, pp.1430-1434, September 1999.
39. Sugita *et al.*, "*Inducible nitric oxide synthase plays a role in LPS-induced hyperglycemia and insulin resistance,*" Am J Physiol Endocrinol Metab Vol. 282,

pp.E-386-E394, 2002.

40. Szabo *et al.*, Abstract of "Invited opinion : role of nitric oxide in hemorrhagic, traumatic, and anaphylactic shock and thermal injury," Shock. Vol. 2, No. 2, pp.145-155, August 1994.
41. Szelenyi *et al.*, "Differential involvement of sympathetic nervous system and immune system in the modulation of TNF- α production by α_2 - and β -adrenoceptors in mice," Journal of Neuroimmunology Vol.103, pp.34-40, 2000.
42. Tseng *et al.*, "Cardiovascular Effects of Nitric Oxide in the Brain Stem Nuclei of Rats," Hypertension Vol. 27, pp.36-42, 1996.
43. Tsuchiya *et al.*, "Antioxidant Radical-Scavenging Activity of Carotenoids and Retinoids Compared to α -Tocopherol," Methods in Enzymology Vol. 213, pp.460-472, 1992.
44. Ulker *et al.*, "Endotoxin-Induced Vascular Hyporesponsiveness in Rat Aorta: In Vitro Effect of Aminoguanidine," Pharmacological Research, Vol. 44, No. 1, pp.21-26, 2001.
45. Urban *et al.*, "Involvement of α_2 -adrenoceptors in the cardiovascular effects of moxonidine," European Journal of Pharmacology, Vol. 282 pp.19-28, 1995.
46. Roux *et al.*, "The effect of ketanserine on serotonin-induced vascular responses in the isolated perfused rat lung," European Journal of Pharmacology Vol. 169, pp.269-273, 1989.
47. Nueten *et al.*, "Vascular Effects of Ketanserine (R 41 468), A Novel Antagonist of 5-

- HT₂ Serotonergic Receptors*," The Journal of Pharmacology and Experimental Therapeutics, Vol. 218, No. 1, pp.217-230, 1981.
48. Victor *et al.*, "*Ascorbic acid modulates in vitro the function of macrophages from mice with endotoxic shock*," Immunopharmacology Vol. 46, pp.89-101, 2000.
 49. Villalobos-Molina *et al.*, "*The 5-HT₂ receptor antagonist, pelanserine, inhibits α_1 -adrenoceptor-mediated vasoconstriction in vitro*," European Journal of Pharmacology Vol. 277, pp.181-185, 1995.
 50. Lang, "*Sepsis-induced insulin resistance in rats is mediated by a β -adrenergic mechanism*," Am J. Physiol Vol. 263, pp.703-711, 1992.
 51. Lane *et al.*, "*Selective Serotonin Reuptake Inhibitor-Induced Serotonin Syndrome: Review*," Journal of Clinical Psychopharmacology Vol.17, No.3, pp.208-221, June 1997.
 52. MacMillan *et al.*, "*Central Hypotensive Effects of the α_{2a} -Adrenergic Receptor Subtype*," Science Vol. 273, pp.801-803, August 1996.
 53. Lavicky *et al.*, "*Endotoxin Administration Stimulates Cerebral Catecholamine Release in Freely Moving Rats as Assessed by Microdialysis*," Journal of Neuroscience Research Vol. 40, pp.407-413, 1995.
 54. Wu *et al.*, "*Ascorbate inhibits iNOS expression in endotoxin- and IFN γ -stimulated rat skeletal muscle endothelial cells*," FEBS Letters Vol.520, pp.122-126, 2002.
 55. Wu *et al.*, "*A Highly Selective β_1 -Adrenergic Blocker with Partial β_2 -Agonist Activity Derived from Ferulic Acid, an Active Component of Ligusticum wallichii*

- Franch*, " Journal of Cardiovascular Pharmacology Vol. 31, pp. 750-757, 1998.
56. Wu *et al.*, "*A xanthine-based KMUP-1 with cyclic GMP enhancing and K⁺ channels opening activities in rat aortic smooth muscle*," British Journal of Pharmacology Vol. 134, pp.265-274, 2001.
57. Yeh *et al.*, "*Cardiovascular Interactions of Nonivamide, Glyceryl Nonivamide, Capsaicin Analogues, and Substance P Antagonist in Rats*," Brain Research Bulletin, Vol. 30, pp. 641-648, 1993.

Discussion

Altavilla discloses that lipopolysaccharide administration reduced survival rate in a rat model of endotoxin shock.

Aubriot *et al.* and Yeun-Chih Huang *et al.* disclose that aryloxypropanolamines and especially those which are isoeugenol-based ones have anti-oxidizing activities, in addition to their β -adrenoceptor blocking effects

In Dunn *et al.* And Koyama *et al.*, the ability of α_2 -adrenoceptor blocking antidepressant treatment to attenuate LPS-induced-depression in rats is cited as evidence that inflammatory cytokines play an important role in depression

In Cohen *et al.* and Owens *et al.*, trazodone with 5-HT agonist/antagonist activity, 5-HT

reuptake inhibition and adrenoceptor blocking activities is taken as a reference to evaluate associated pharmacologic activities.

Corrêa et al. and Díaz-Cabiale et al. disclose that central administration of yohimbine increases BP and HR.

Curro et al. investigates the mechanism by which serotonin causes contraction of canine venous smooth muscle.

Dobrucki et al. and Tseng et al. disclose that the action of clonidine is dependent on activation of eNOS and the action of LPS is dependent on activation of iNOS.

In Duan et al., intra-cisternal injections of KMST, yohimbine, and clonidine were performed in rats.

Duka et al. and MacMillan et al. disclose that the α_{2A} -adrenergic subtype is located in the CNS and is concentrated in the cardiovascular control center of the brainstem, and α_{2B} -adrenergic receptors are located in arterial vascular smooth muscle cells and cause peripheral vasoconstriction.

Elenkov et al. and Hasko et al. disclose that the non-selective β -adrenoceptor blocker propranolol prevents the effects of α_2 -adrenoceptor blockade on TNF- α plasma levels induced by

LPS and associated cytokine formation in mice.

Fujimoto et al. discloses that α_{2B} -adrenoceptor agonist activity of clonidine in thoracic aorta produces contractile activity.

Girard et al. and Ulker et al. disclose that iNOS inhibitors and antioxidants reduce LPS-induced vascular hyporesponsiveness.

Glaser et al. and Spengler et al. disclose that both noradrenaline and α_2 -adrenergic agonists augment LPS-induced TNF production, and that this augmentation was prevented by the α_2 -adrenergic antagonist yohimbine.

Haddjeri et al. discloses that some β -adrenoceptor blockers, such as pindolol, have been found to have nanomolar binding affinities for 5-HT_{1A} receptors and have prevented some 5-HT_{1A} receptor-mediated responses.

Hasko et al. and Hirata et al. disclose that α_2 -adrenoceptor blockers may provide some protection in rats against bacterial lipopolysaccharide (LPS)-induced hyperglycemia, tumor necrosis factor- α (TNF- α), interleukin-6 (IL-6), corticosteroid release, and mortality.

Hatanaka et al. and Helmeste et al. disclose the method for measuring inhibition of 5-HT

reuptake.

Yu-Chen Huang et al. discloses the inhibitory effect of DCDC on lipopolysaccharide-induced nitric oxide synthesis in RAW 264.7 cells.

Ko et al. and Pitzalis et al. disclose that β -adrenergic blocking agents with serotonergic properties have proved beneficial to depressed patients, notably those with myocardial infarction and congestive heart failure.

Krege et al. discloses that trazodone has higher affinity for human α_1 -adrenoceptors than for α_2 -adrenoceptors, but did not discriminate between subtypes of human α_1 -, α_2 -adrenoceptors.

Kubo et al. discloses that injection of the selective α_2 antagonist yohimbine into the NTS produces hypertension and tachycardia.

Lin et al. discloses that intravenous LPS produces a biphasic reduction in BP in anesthetized rats.

Llado et al. discloses that some selective or subtype-selective α_2 -adrenoceptor blockers such as yohimbine, rauwolfscine, and phentolamine possess affinity for 5-HT_{1A} receptors in the rat brain.

Loefering et al. discloses that antioxidants can ameliorate depression of vascular reactivity caused by LPS.

Maitra et al. discloses that hypoglycemia in severe septic conditions occurs because the rate of glucose use exceeds the rate of production.

Molina-Holgado et al. and Lavicky disclose that stimulation by increased plasma catecholamines during early sepsis may cause sympathetic activation of the CVS.

Murphy et al. discloses three subtypes of α_2 -adrenoceptors, designated as α_{2A} , α_{2B} and α_{2C} .

Nickola et al. discloses that a reciprocally permissive interaction occurs between TNF- α and α -adrenoceptor activation and that changes in pre-synaptic adrenergic sensitivity, as well as in neuronal sensitivity to TNF- α have been implicated in the action of anti-depressant drugs.

Shen et al. discloses that lipopolysaccharide (LPS)-induced inflammatory cytokines, including tumor necrosis factor- α (TNF- α), interleukin-1 (IL-1) and interferon (IFN) can be regulated by blocking α_2 -adrenergic receptors, which are involved in the balance between noradrenergic and serotonergic systems in central neurons.

Smith et al. suggests that both 5-HT_{2A} and 5-HT_{1B} receptors are involved in vascular

contraction.

Sugita et al. discloses that aminoguanidine inhibits LPS-induced hyperglycemia by decreasing glycogenolysis and gluconeogenesis.

Szabo et al. discloses that many pathobiochemical alterations occur in endotoxic shock: a dramatic increase in eicosanoid and platelet activation factor production, cytokine release (in particular IL and TNF- α , activation of the L-arginine-nitric oxide (NO) pathway, formation of oxygen-centered free radicals and activation of the plasmatic coagulation cascade, fibrinolysis and complement pathway.

Szelenyi et al. discloses that *in vivo*, α_2 - and β -adrenoceptors on macrophages can be activated by the endogenous ligand noradrenaline, released from noradrenergic varicosities and by adrenergic drugs.

Tsuchiya et al. discloses the method for determining the scavenging ability of the test compounds on aqueous peroxy radicals.

Urban et al. discloses that clonidine-like drugs owe part of their bradycardic effect to activation of peripheral cardiac pre-synaptic α_2 -autoreceptors.

Roux et al. discloses that 5-HT_{2A} receptors mediate the contractile response of blood vessels.

Neuten et al. discloses that ketanserin is a potent antagonist of the vasoconstrictor effects of 5-hydroxytryptamine.

Victor et al. discloses that ascorbic acid affects macrophage activity in mice during endotoxic shock and that the toxic effects of oxygen radicals produced by immune cells can be controlled to certain degree by endogenous anti-oxidants.

Villalobos-Molina discloses that noradrenaline neurons modulate the activity of the 5-HT (serotonin, 5-Hydroxytryptamine) system and that several lines of evidence support the theory that the 5-HT system influences brain noradrenaline neurons.

Lang discloses that, under septic conditions, non-selective β -adrenoceptor blocker propranolol prevents an increase in glucose production.

Lane et al. discloses that microinjection of fluoxetine into the NTS increases BP and HR.

Wu et al. (2001) disclose a method of an isolation of thoracic aorta.


Wu et al. (2002) discloses that reactive oxygen species, superoxides in particular, have been implicated in the potentiation of iNOS induction in cells.

Yeh discloses that rats are anaesthetized with pentobarbital sodium and mounted in a David-Kopf stereotaxic instrument for intra-cisternal injections.

The citation of the foregoing references is not intended to constitute an assertion that other or more relevant art does not exist. Accordingly, the Examiner is requested to make a wide-ranging and thorough search of the relevant art.


No fee is incurred by this Statement.

Respectfully submitted,


Robert E. Bushnell
Reg. No.: 27,774

1522 "K" Street, N.W., Suite 300
Washington, D.C. 20005
Area Code: 202-408-9040

Folio: P56902
Date: 21 August 2003
I.D.: REB/JHP/rfc

INFORMATION DISCLOSURE STATEMENT PTO-1449 (PAGE 1 OF 5) 	SERIAL NUMBER 10/608,073	DOCKET NO. P56902
	APPLICANT Chen-Ming HSIAO, et al.	
	FILING DATE 30 June 2003	GROUP to be assigned

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)

	Altavilla et al., "The Lazaroid, U-74389G, inhibits inducible nitric oxide synthase activity, reverses vascular failure and protects against endotoxin shock," European Journal of Pharmacology, Vol. 369, pp. 49-55, 1999.
	Aubriot et al., "New Series of Aryloxypropanolamines with Both Human β_3 -Adrenoceptor Agonistic Activity and Free Radical Scavenging Properties," Bioorganic & Medical Chemistry Letters, Vol. 12, pp.209-212, 2002.
	Dunn et al., Bibliographic record of "The reductions in sweetened milk intake induced by interleukin-1 and endotoxin are not prevented by chronic antidepressant treatment," http://www.hint.org.tw/cgi-bin/ovidweb/ovidweb.cgi .
	Cohen et al., "Evidence that Blood Pressure Reduction by Serotonin Antagonists is Related to Alpha Receptor Blockade in Spontaneously Hypertensive Rats," Hypertension Vol. 5, No. 5, pp.676-681, September - October, 1983.
	Correa et al., "Central α_1 -Adrenoceptors Mediate the Pressor Response to Intracerebroventricular Injection of Noradrenaline in Unanesthetized Rats," Neuropharmacology Vol.34, No. 7, pp. 793-798, 1995.
	Curro et al., "Interaction Between Alpha Adrenergic and Serotonergic Activation of Canine Saphenous Veins," The Journal of Pharmacology and Experimental Therapeutics Vol. 207, pp. 936-949, 1978.
	Diaz-Cabiale et al., "Galanin/alpha2-receptor interactions in central cardiovascular control," Neuropharmacology Vol. 39, pp.1377-1385, 2000.
	Dobrucki et al., "Central Hypotensive Action of Clonidine Requires Nitric Oxide," Circulation, Vol. 104, pp. 1884-1886, 16 October 2001.
	Duan et al., "Enhancement of Clonidine-Induced Analgesia by Lesions Induced with Spinal and Intracerebroventricular Administration of 5, 7-Dihydroxytryptamine," Neuropharmacology Vol. 26, No. 4, pp.323-329, 1987.
	Duka et al., "Role of the Postsynaptic α_2 -adrenergic receptor subtypes in catecholamine-induced vasoconstriction," General Pharmacology Vol. 34, pp.101-106, 2000.
	Elenkov et al., "Modulation of lipopolysaccharide-induced tumor necrosis factor- α production by selective α - and β -adrenergic drugs in mice," Journal of Neuroimmunology Vol. 61, pp.123-131, 1995.
	Fujimoto et al., "Denopamine as an α_{1H} -adrenoceptor antagonist in isolated blood vessels," European Journal of Pharmacology Vol. 280, pp.143-147, 1995.
	Girard et al., "A New Synthetic Flavonoid Protects Endothelium-Derived Relaxing Factor-induced Relaxation in Rabbit Arteries in Vitro: Evidence for Superoxide Scavenging," Biochemical Pharmacology, Vol. 49, No. 10, pp. 1553-1539, 1995.

INFORMATION DISCLOSURE STATEMENT
PTO-1449 (PAGE 2 OF 5)

SERIAL NUMBER 10/608,073

DOCKET NO. P56902

APPLICANT Chen-Ming HSIAO, et al.

FILING DATE 30 June 2003

GROUP to be assigned

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)

- Glaser et al., Bibliographic record of "Stress depresses interferon production by leukocytes concomitant with a decrease in natural killer cell activity," <http://www.hint.org.tw/cgi-bin/ovidweb/ovidweb.cgi>.
- Haddjeri et al., "Modulation of the Firing Activity of Rat Serotonin and Noradrenaline Neurons by (\pm) Pindolol," *Biological Psychiatry*, 45, pp. 1163-1169, 1999.
- Hasko et al., "Differential effect of selective block of α_2 -adrenoreceptors on plasma levels of tumour necrosis factor- α , interleukin-6 and corticosterone induced by bacterial lipopolysaccharide in mice," *Journal of Endocrinology* Vol. 144, pp. 457-462, 1995.
- Hatanaka et al., "Biochemical Profile of YM992, a Novel Selective Serotonin Reuptake Inhibitor with 5-HT_{2A} Receptor Antagonistic Activity," *Neuropharmacology* Vol. 35, No. 11, pp. 1621-1626, 1996.
- Helmeste et al., "Inhibition of Platelet Serotonin Uptake by Cytochrome P450 Inhibitors Miconazole and Econazole," *Life Sciences* Vol. 62, No. 24, pp. 2203-2208, 1998.
- Hirata et al., "Effects of endothelin receptor antagonists on endothelin-1 and inducible nitric oxide synthase genes in a rat endotoxic shock model," *Clinical Science*, pp. 332-335, 2002.
- Huang et al., "Inhibitory effect of DCDC on lipopolysaccharide-induced nitric oxide synthesis in RAW 264.7 cells," *Life Sciences* Vol. 68, pp. 2435-2447, 2001.
- Huang et al., "Ferulidol : A Vasodilatory and Antioxidant Adrenoceptor and Calcium Entry Blocker, with Ancillary β_2 -Agonist Activity," *Drug Development Research* 47:77-89 (1999).
- Huang et al., "A New Aspect of View in Synthesizing New Type β -adrenoceptor Blockers with Ancillary Antioxidant Activities," *Bioorganic & Medicinal Chemistry* Vol. 9, pp. 1739-1746, 2001.
- Ko et al., " β -Blocker Therapy and Symptoms of Depression, Fatigue, and Sexual Dysfunction," *JAMA* Vol. 288, No. 3, pp. 351-357, 17 July 2002.
- Koyama, "Participation of central α -receptors on hemodynamic response to E. Coil endotoxin," *American Journal Physiology* Vol. 247, pp. R655-R662, 1984.
- Krege et al., "Affinity of trazodone for human penile α_1 - and α_2 -adrenoceptors," *BJU International* Vol. 85, pp. 959-961, 2000.
- Kubo et al., "Cardiovascular effects in rats of alpha₁ and alpha₂ adrenergic agen injected into the nucleus tractus solitarii," *Naunyun-Schmiedeberg's Archives of Pharmacology* Vol. 335, pp. 274-277, 1987.
- Lin et al., "Systemic Administration of Lipopolysaccharide Induces Release of Nitric Oxide and Glutamate and c-fos Expression in the Nucleus Tractus Solitarii of Rats," *Hypertension* 33:1218-1224, 1999.

INFORMATION DISCLOSURE STATEMENT PTO-1449 (PAGE 3 OF 5)	SERIAL NUMBER 10/608,073	DOCKET NO. P56902
	APPLICANT Chen-Ming HSIAO, et al.	
	FILING DATE 30 June 2003	GROUP to be assigned

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)

- Lado et al., "The α_2 -adrenoceptor antagonist idazoxan is an agonist at 5-HT_{1A} autoreceptors modulating serotonin synthesis in the rat brain in vivo", Neuroscience Letters Vol. 218, pp.111-114, 1996.
- Loegering et al., "The Antioxidant, U74389, Ameliorates the Depression of Vascular Reactivity Caused by Lipopolysaccharide", Life Sciences, Vol. 57, No. 20, pp. 321-326, 1995.
- Maitra et al., "Alterations in Tissue Glucose Uptake During the Hyperglycemic and Hypoglycemic Phases of Sepsis", Hock Vol. 13, No. 5, pp. 379-385, 2000.
- Molina-Holgado et al., "Endotoxin Administration Induced Differential Neurochemical Activation of the Rat Brain Stem Nuclei," Brain Research Bulletin, Vol. 40, No. 3, pp. 151-156, 1996.
- Murphy et al., "Characterization of Alpha-2 Adrenergic Receptors in the OK Cell, an Opossum Kidney Cell Line," The Journal of Pharmacology and Experimental Therapeutics Vol. 244, No. 2, pp.571-578, 1987.
- Nickola et al., "Antidepressant Drug-Induced Alterations in Neuron-Localized Tumor Necrosis Factor- α mRNA and α_2 -Adrenergic Receptor Sensitivity," The Journal of Pharmacology and Experimental Therapeutics Vol. 297, No. 2, pp.680-687, 2001.
- Owens et al., "Neurotransmitter Receptor and Transporter Binding Profile of Antidepressants and Their Metabolites," The Journal of Pharmacology and Experimental Therapeutics Vol. 283, No. 3, pp.1305-1322, 1997.
- Pitzalis et al., "Depression but not anxiety influences the autonomic control of heart rate after myocardial infarction," American Heart Journal Vol. 141, No. 5, pp.765-771, 2001.
- Shen et al., "Differential Effect of Chronic Antidepressant Treatments on Lipopolysaccharide-Induced Depressive-Like Behavioural Symptoms in the Rat," Life Sciences Vol.65, No.17, pp.1773-1786, 1999.
- Smith et al., "Precontraction with Elevated Concentrations of Extracellular Potassium Enables both 5-HT_{1B} and 5-HT_{2A} "Silent" Receptors in Rabbit Ear Artery", The Journal of Pharmacology and Experimental Therapeutic Vol. 289, No.1, pp.354-360, 1999.
- Spengler et al., "Stimulation of α -Adrenergic Receptor Augments the Production of Macrophage-Derived Tumor Necrosis Factor," The Journal of Immunology Vol. 145, No.5, pp.1430-1434, September 1999.
- Sugita et al., "Inducible nitric oxide synthase plays a role in LPS-induced hyperglycemia and insulin resistance," Am J Physiol Endocrinol Metab Vol. 282, pp.E-386-E394, 2002.
- Szabo et al., Abstract of "Invited opinion : role of nitric oxide in hemorrhagic, traumatic, and anaphylactic shock and thermal injury," Shock. Vol. 2, No. 2, pp.145-155, August 1994.

INFORMATION DISCLOSURE STATEMENT
PTO-1449 (PAGE 4 OF 5)

SERIAL NUMBER 10/608,073


DOCKET NO. P56902

APPLICANT Chen-Ming HSIAO, et al.

FILING DATE 30 June 2003

GROUP to be assigned

JUL 09 2004



OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)

Szelenyi et al., "Differential involvement of sympathetic nervous system and immune system in the modulation of TNF- α production by α_2 - and β -adrenoceptors in mice," Journal of Neuroimmunology Vol.103, pp.34-40, 2000.

Tseng et al., "Cardiovascular Effects of Nitric Oxide in the Brain Stem Nuclei of Rats," Hypertension Vol. 27, pp.36-42, 1996.

Tsuchiya et al., "Antioxidant Radical-Scavenging Activity of Carotenoids and Retinoids Compared to α -Tocopherol," Methods in Enzymology Vol. 213, pp.460-472, 1992.

Ulker et al., "Endotoxin-Induced Vascular Hyporesponsiveness in Rat Aorta: In Vitro Effect of Aminoguanidine," Pharmacological Research, Vol. 44, No. 1, pp.21-26, 2001.

Urban et al., "Involvement of α_2 -adrenoceptors in the cardiovascular effects of moxonidine," European Journal of Pharmacology, Vol. 282 pp.19-28, 1995.

Roux et al., "The effect of ketanserin on serotonin-induced vascular responses in the isolated perfused rat lung," European Journal of Pharmacology Vol. 169, pp.269-273, 1989.

Nueten et al., "Vascular Effects of Ketanserin (R 41 468), A Novel Antagonist of 5-HT₂ Serotonergic Receptors," The Journal of Pharmacology and Experimental Therapeutics, Vol. 218, No. 1, pp.217-230, 1981.

Victor et al., "Ascorbic acid modulates in vitro the function of macrophages from mice with endotoxic shock," Immunopharmacology Vol. 46, pp.89-101, 2000.

Villalobos-Molina et al., "The 5-HT₂ receptor antagonist, pelanserin, inhibits α_1 -adrenoceptor-mediated vasoconstriction in vitro," European Journal of Pharmacology Vol. 277, pp.181-185, 1995.

Lang, "Sepsis-induced insulin resistance in rats is mediated by a β -adrenergic mechanism," Am J. Physiol Vol. 263, pp.703-711, 1992.

Lane et al., "Selective Serotonin Reuptake Inhibitor-Induced Serotonin Syndrome: Review," Journal of Clinical Psychopharmacology Vol.17, No.3, pp.208-221, June 1997.

MacMillan et al., "Central Hypotensive Effects of the α_{2a} -Adrenergic Receptor Subtype," Science Vol. 273, pp.801-803, August 1996.

Lavicky et al., "Endotoxin Administration Stimulates Cerebral Catecholamine Release in Freely Moving Rats as Assessed by Microdialysis," Journal of Neuroscience Research Vol. 40, pp.407-413, 1995.

INFORMATION DISCLOSURE STATEMENT

PTE-1449 (PAGE 5 OF 5)

JUL 09 2004

SERIAL NUMBER 10/608,073

DOCKET NO. P56902

APPLICANT Chen-Ming HSIAO, et al.

FILING DATE 30 June 2003

GROUP to be assigned

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)

Wu et al., "Ascorbate inhibits iNOS expression in endotoxin- and IFN γ -stimulated rat skeletal muscle endothelial cells," FEBS Letters Vol.520, pp.122-126, 2002.

Wu et al., "A Highly Selective β_1 -Adrenergic Blocker with Partial β_2 -Agonist Activity Derived from Ferulic Acid, an Active Component of *Ligusticum wallichii* Franch," Journal of Cardiovascular Pharmacology Vol. 31, pp. 750-757, 1998.

Wu et al., "A xanthine-based KMUP-1 with cyclic GMP enhancing and K⁺ channels opening activities in rat aortic smooth muscle," British Journal of Pharmacology Vol. 134, pp.265-274, 2001.

Yeh, et al., "Cardiovascular Interactions of Nonivamide, Glyceryl Nonivamide, Capsaicin Analogues, and Substance P Antagonist in Rats," Brain Research Bulletin, Vol. 30, pp. 641-648, 1993.

EXAMINER:

DATE CONSIDERED:

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP §609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.